



The Bullsheet, a forum for news, humor, and community dialogue, is funded by DCGA, recycles, dreams, and is printed each day that classes are in session. Submissions must be sent before our editors shamble into the office for next day publication via email to: bullsheet@denison.edu. Submissions herein solely reflect the opinions of the authors.

Selah Edited last night:
Hayley Delivered this morning:

January 29th, 2025

GRANVILLE'S SICKEST PUBLICATION

Vol. XLV, No. 76

UHHHH DID YOU GUYS SEE THIS??

Emmy, Micah, and Selah,
Infected

----- Forwarded message -----

From: Student Life <studentlife@denison.edu>

Date: Tue, Jan 28, 2025 at 11:19AM

Subject: STUPID BITCH FLU OUTBREAK

We are writing today to notify the campus that we have more than 25 confirmed cases of Stupid Bitch Flu diagnosed in the last week. This is consistent with broader patterns within our community, as reflected by the Licking County Health Department Dashboard.

The Stupid Bitch Flu is a full-body illness caused by the Stupid Bitch virus. The virus is contagious and spreads by vibe from person to person. People with the Stupid Bitch Flu typically have an abrupt (rapid) onset, within a few hours, of all or some of the following symptoms:

- Backstabbing
- Homie-hopping
- Gossiping
- Wheezing
- Stankiness
- Lockjaw
- Tackiness
- Fakeness
- Vocal fry
- Cutting corners
- Two-faced
- Pick-me behaviors
- Remember, these symptoms come on rapidly, NOT gradually.

If students are ill with Stupid Bitch Flu or Stupid Bitch Flu-like symptoms, they should communicate with their faculty about their absences and get a subscription to ChatGPT+. In extreme cases, drop out. Students should expect difficulty forming close relationships. The general rule is you must be free of sin, without snorting anything, for 24 hours prior to returning to school or work.

The average duration of the Stupid Bitch Flu is one week, but some symptoms may linger for a lifetime. For people that are classified by the Centers for Disease Control (CDC) as High Risk it is particularly important that you seek psychiatric care immediately after symptoms appear. This high-risk group includes anyone over 65 and those with deep-seated insecurities or a mob mentality.

Students and staff should seek psychiatric care if symptoms suspicious of Stupid Bitch Flu develop. Stupid Bitch Flu-related complications can occur.

If you develop Stupid Bitch Flu-like symptoms, as listed above, contact the Bullsheet at bullsheet@denison.edu or call your parents... it's been a while.

The following are preventative strategies to help minimize your risk of getting the Stupid Bitch Flu.

- Remember that your friends aren't out to get you (or are they...)
- Practice self-awareness.
- Seek help.
- Avoid close contact with people.
- Go outside.
- Cut the whining.

Please remember that members of The Bullsheet are available as a resource to you and are more than happy to knock you down a few pegs as you navigate this and any other health concerns that may arise.

DENISON

